Author Index Vol. 761

Aflalaye, A., Sternberg, R., Coscia, D., Raulin, F. and Vidal-Madjar, C.
Gas chromatography of Titan's atmosphere. VIII. Analysis of permanent gases with carbon molecular sieve packed capillary columns 761(1997)195

Albert, K., see Braumann, U. 761(1997)336

Angioni, A., see Cabras, P. 761(1997)327

Barth, T., see Jiskra, J. 761(1997)285

Bernáth, G., see Péter, A. 761(1997)103

Braumann, U., Händel, H., Strohschein, S., Spraul, M., Krack, G., Ecker, R. and Albert, K.
Separation and identification of vitamin A acetate isomers by supercritical fluid chromatography–^{1}H NMR coupling 761(1997)336

Bunke, A., see Jira, T. 761(1997)269

Cabras, P., Angioni, A., Melis, M., Minelli, E.V. and Pirisi, F.M.
Simplified multiresidue method for the determination of organophosphorus insecticides in olive oil 761(1997)327

Cheng, J. and Mitchelson, K.R.
Improved separation of six harmane alkaloids by high-performance capillary electrophoresis 761(1997)297

Claessens, H.A., see Philipsen, H.J.A. 761(1997)147

Climent, M.J. and Miranda, M.A.
Erattum to "Gas chromatographic-mass spectrometric study of photodegradation of carbamate pesticides". [J. Chromatogr. A, 738 (1996) 225–231] 761(1997)341

Coscia, D., see Aflalaye, A. 761(1997)195

Crozier, A., Jensen, E., Lean, M.E.J. and McDonald, M.S.
Quantitative analysis of flavonoids by reversed-phase high-performance liquid chromatography 761(1997)315

Csomós, P., see Péter, A. 761(1997)103

Da Silva, M.P., Procopio, J.R. and Hernández, L.
Reversed-phase high-performance liquid chromatography of pyrrolidinedithiocarbamate complexes of mercuric species using amperometric and coulometric detection 761(1997)139

De Cooker, M.R., see Philipsen, H.J.A. 761(1997)147

Depauw, G.A. and Froment, G.F.
Molecular analysis of the sulphur components in a light cycle oil of a catalytic cracking unit by gas chromatography with mass spectrometric and atomic emission detection 761(1997)231

De Voogt, P., see Rozemeijer, M.J.C. 761(1997)219

Dewulf, J., Van Langenhove, H. and Everaert, M.
Solid-phase microextraction of volatile organic compounds. Estimation of the sorption equilibrium from the Kováts index, effect of salinity and humic acids and the study of the kinetics by the development of an "agitated/static layer" model 761(1997)205

Ecker, R., see Braumann, U. 761(1997)336

Everaert, M., see Dewulf, J. 761(1997)205

Fornasari, P., see Remelli, M. 761(1997)79

Foster, C.R., see Stanley, B.J. 761(1997)41

Fröhling, C.D.W., see Siebert, A.F.M. 761(1997)115

Froment, G.F., see Depauw, G.A. 761(1997)231

Fülöp, F., see Péter, A. 761(1997)103

German, A.L., see Philipsen, H.J.A. 761(1997)147

Giroud, C., see Sadeghipour, F. 761(1997)71

Gorbunov, A., see Trathnigg, B. 761(1997)21

Grosenick, H. and Schurig, V.
Enantioselective capillary gas chromatography and capillary supercritical fluid chromatography on an immobilized γ-cyclodextrin derivative 761(1997)181

Gübitz, G., see Jira, T. 761(1997)269

Guiochon, G., see Stanley, B.J. 761(1997)41

Hägglund, I. and Ståhlberg, J.
Ideal model of chromatography applied to charged solutes in reversed-phase liquid chromatography 761(1997)3

Hägglund, I. and Ståhlberg, J.
Method for determination of the chromatographic surface area of reversed-phase surfaces 761(1997)13

Händel, H., see Braumann, U. 761(1997)336

Heeter, G.A. and Liapis, A.I.
Estimation of pore diameter for intraparticle fluid flow in bidisperse porous chromatographic particles 761(1997)35

Hernández, F., see Sancho, J.V. 761(1997)322

Hernández, L., see Da Silva, M.P. 761(1997)139

Hida, M., Mitsui, T., Ohtani, H. and Tsuge, S.
Determination of triazolam in a drug tablet by thermal desorption gas chromatography 761(1997)332

Hidalgo, C., see Sancho, J.V. 761(1997)322

Hilmi, A., Luong, J.H.T. and Nguyen, A.-L.
Capillary electrophoretic separation of chlorophenols using amperometric detection 761(1997)259

Hsieh, Y.-Z. and Kuo, K.-L.
Analysis of prostaglandins by micellar electrokinetic capillary chromatography 761(1997)277

Hsieh, Y.-Z. and Kuo, K.-L.
Separation of retinoids by micellar electrokinetic capillary chromatography 761(1997)307

Jackson, P.E., see Toofan, M. 761(1997)163

Jensen, E., see Crozier, A. 761(1997)315

Jin, Q., Yang, W., Yu, A., Tian, X. and Wang, F.
Helium direct current discharge ionization detector for gas chromatography 761(1997)169

Jira, T., Bunke, A., Schmid, M.G. and Gübitz, G.
Chiral resolution of diols by capillary electrophoresis using borate–cyclodextrin complexation 761(1997)269

Jiskra, J., Pacáková, V., Tichá, M., Štulík, K. and Barth, T.
Use of capillary electrophoresis and high-performance liquid chromatography for monitoring of glycosylation of the peptides dalargin and desmopressin 761(1997)285

Joabsson, F., see Svensson, M. 761(1997)91

Johnson, S. and Morgan, E.D.
Comparison of chromatographic systems for triterpenoids from Neem (*Azadirachta indica*) seeds 761(1997)53

Klumperman, B., see Philipsen, H.J.A. 761(1997)147

Kollroser, M., see Trathnigg, B. 761(1997)21

Koscho, M.E., see Pirkle, W.H. 761(1997)65

Krack, G., see Braumann, U. 761(1997)336

Kuo, K.-L., see Hsieh, Y.-Z. 761(1997)277

Kuo, K.-L., see Hsieh, Y.-Z. 761(1997)307

Lean, M.E.J., see Crozier, A. 761(1997)315
Liapis, A.I., see Heeter, G.A. 761(1997)35
Lindstrom, T., see Surapaneni, S. 761(1997)249
Linse, P., see Svensson, M. 761(1997)91
Luong, J.H.T., see Hilmi, A. 761(1997)259
McDonald, M.S., see Crozier, A. 761(1997)315
Melis, M., see Cabras, P. 761(1997)327
Minelli, E.V., see Cabras, P. 761(1997)327
Miranda, M.A., see Climent, M.J. 761(1997)341
Mitchelson, K.R., see Cheng, J. 761(1997)297
Mitsui, T., see Hida, M. 761(1997)332
Morgan, E.D., see Johnson, S. 761(1997)53
Nguyen, A.-L., see Hilmi, A. 761(1997)259
Ohtani, H., see Hida, M. 761(1997)332
Olie, K., see Rozemeijer, M.J.C. 761(1997)219
Pacáková, V., see Jiskra, J. 761(1997)285
Péter, A., Török, G., Csomós, P., Péter, M., Bernáth, G. and Fülöp, F.
High-performance liquid chromatographic methods for separation of enantiomers of alicyclic β-amino acids 761(1997)103
Péter, M., see Péter, A. 761(1997)103
Philipsen, H.J.A., de Cooker, M.R., Claessens, H.A., Klumperman, B. and German, A.L.
Characterization of low-molar-mass polymers by gradient polymer elution chromatography. II. Solubility effects in the analysis of polyester resins under reversed-phase conditions 761(1997)147
Pirisi, F.M., see Cabras, P. 761(1997)327
Pirkle, W.H. and Koscho, M.E.
Predictable chromatographic separations of enantiomers: aryl allenic acids and their derivatives 761(1997)65
Pohl, C.A., see Toofan, M. 761(1997)163
Procopio, J.R., see Da Silva, M.P. 761(1997)139
Pulidori, F., see Remelli, M. 761(1997)79
Raulin, F., see Aflalaye, A. 761(1997)195
Remelli, M., Fornasari, P. and Pulidori, F.
Study of retention, efficiency and selectivity in chiral ligand-exchange chromatography with a dynamically coated stationary phase 761(1997)79
Rivier, L., see Sadeghipour, F. 761(1997)71
Roussel, C. and Suteu, C.
Investigation into the chiral recognition mechanism of N-arylthiazolin-2(thi)one atropisomers on Chiralcel OJ by factorial design and lipophilicity approaches 761(1997)129
Rozemeijer, M.J.C., Olie, K. and de Voogt, P.
Procedures for analysing phenolic metabolites of polychlorinated dibenzofurans, -dibenzo-*p*-dioxins and -biphenyls extracted from a microsomal assay: optimising solid-phase adsorption clean-up and derivatisation methods 761(1997)219
Ruterbories, K., see Surapaneni, S. 761(1997)249
Sadeghipour, F., Giroud, C., Rivier, L. and Veuthey, J.-L.
Rapid determination of amphetamines by high-performance liquid chromatography with UV detection 761(1997)71
Sancho, J.V., Hidalgo, C. and Hernández, F.
Direct determination of bromacil and diuron residues in environmental water samples by coupled-column liquid chromatography and large-volume injection 761(1997)322
Schmid, M.G., see Jira, T. 761(1997)269
Schurig, V., see Grosenick, H. 761(1997)181
Sheldrick, W.S., see Siebert, A.F.M. 761(1997)115
Siebert, A.F.M., Fröhling, C.D.W. and Sheldrick, W.S.
Reversed-phase liquid chromatographic separation of platinum(II) complexes of methionine- and histidine-containing peptides using perfluorinated carboxylic acids as ion-pairing reagents 761(1997)115
Skvortsov, A., see Trathnigg, B. 761(1997)21
Spraul, M., see Braumann, U. 761(1997)336
Ståhlberg, J., see Hägglund, I. 761(1997)3
Ståhlberg, J., see Hägglund, I. 761(1997)13
Stanley, B.J., Foster, C.R. and Guiochon, G.
On the reproducibility of column performance in liquid chromatography and the role of the packing density 761(1997)41
Sternberg, R., see Aflalaye, A. 761(1997)195
Stillian, J.R., see Toofan, M. 761(1997)163
Strohschein, S., see Braumann, U. 761(1997)336
Štulík, K., see Jiskra, J. 761(1997)285
Surapaneni, S., Ruterbories, K. and Lindstrom, T.
Chiral separation of neutral species by capillary electrophoresis. Evaluation of a theoretical model 761(1997)249
Suteu, C., see Roussel, C. 761(1997)129
Svensson, M., Joabsson, F., Linse, P. and Tjerneld, F.
Partitioning of hydrophobic amino acids and oligopeptides in aqueous two-phase system containing self-aggregating block copolymer. Effects of temperature, salts and surfactants 761(1997)91
Tian, X., see Jin, Q. 761(1997)169
Tichá, M., see Jiskra, J. 761(1997)285
Tjerneld, F., see Svensson, M. 761(1997)91
Toofan, M., Stillian, J.R., Pohl, C.A. and Jackson, P.E.
Preconcentration determination of inorganic anions and organic acids in power plant waters. Separation optimization through control of column capacity and selectivity 761(1997)163
Török, G., see Péter, A. 761(1997)103
Trathnigg, B., Kollroser, M., Gorbunov, A. and Skvortsov, A.
Liquid adsorption chromatography of polyethers. Theory and experiment 761(1997)21
Tsuge, S., see Hida, M. 761(1997)332
Van Langenhove, H., see Dewulf, J. 761(1997)205
Veuthey, J.-L., see Sadeghipour, F. 761(1997)71
Vidal-Madjar, C., see Aflalaye, A. 761(1997)195
Wang, F., see Jin, Q. 761(1997)169
Yang, W., see Jin, Q. 761(1997)169
Yu, A., see Jin, Q. 761(1997)169